	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	26	measur$6 with integrated with circuit$1 with processor$1 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:33	
2	BRS	0	measur$6 with integrated with circuit$1 with processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:03	
3	BRS	2	measur$6 with integrated with circuit$1 and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:04	
4	BRS	2	measur$6 with integrated with circuit$1 and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	0	measur$6 with integrated with circuit$1 with processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:28	
6	BRS	4	measur$6 with integrated with circuit$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:34	
7	BRS	81	measur$6 with (CPU or processor) with current with consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:52	
8	BRS	1	measur$6 with (CPU or processor) with current with consumption and power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	6	measur$6 with (CPU or processor) with current with (consumption or power) and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:55	
10	BRS	2041	702/57,60,64,65,69,124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:35	
11	BRS	309	324/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	
12	BRS	537	327/554,558.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	
13	BRS	3934	318/685,696.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	615	331/44,46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	
15	BRS	6374	331/44,46,47,48,65,66,116r ,158,176,177r,177v.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 10:02	
16	BRS	6480	331/15,44,46,47,48,65,66,1 16r,158,176,177r,177v.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:38	
17	BRS	310	324/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	
18	BRS	548	327/554,558.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	
19	BRS	3963	318/685,696.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/02 14:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	637	331/44,46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:36	
21	BRS	6566	331/15,44,46,47,48,65,66,116r,158,176,177r,177v.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:38	
22	BRS	6566	331/15,44,46,47,48,65,66,116r,158,176,177r,177v.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:38	
23	BRS	127	measur$6 with (ID$1 or (integrated adj circuit$1)) with power$3 with (consumpt$3 or demand$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:40	
24	BRS	10	measur$6 with (ID$1 or (integrated adj circuit$1)) with processor with power$3 with (consumpt$3 or demand$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:41	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	3	measur$6 with (ID$1 or (integrated adj circuit$1)) with processor with power$3 with (consumpt$3 or demand$3) and inherent with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:03	
26	IS&R	2	("6448798").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:50	
27	IS&R	2	("6564332").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:11	
28	BRS	2	"20020130712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:52	
29	BRS	2	jp-2004062727-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 14:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	3	measur$6 with (IC$1 or (integrated adj circuit$1)) with processor with (voltage$1 or current$1 or power$3) with (consumpt$3 or demand$3) and inherent with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:10	
31	BRS	209	measur$6 with (IC$1 or (integrated adj circuit$1)) and inherent$2 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:05	
32	BRS	16	measur$6 with (IC$1 or (integrated adj circuit$1)) and (calibrat$3 or compensat$3 or adjust$3) with inherent$2 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:06	
33	BRS	2	measur$6 with (IC$1 or (integrated adj circuit$1)) and (calibrat$3 or compensat$3 or adjust$3) with inherent$2 with resist$4 and (ammeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	2	measur$6 with (IC$1 or (integrated adj circuit$1)) and (calibrat$3 or compensat$3 or adjust$3) with inherent$2 with resist$4 and (ammeter$1 or voltmeter$1 or volt adj meter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:07	
35	BRS	2	measur$6 with (IC$1 or (integrated adj circuit$1)) and (calibrat$3 or compensat$3 or adjust$3) with inherent$2 with resist$4 and (ammeter$1 or voltmeter$1 or volt$3 adj meter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:07	
36	BRS	6	(IC$1 or (integrated adj circuit$1)) and (calibrat$3 or compensat$3 or adjust$3) with inherent$2 with resist$4 and (ammeter$1 or voltmeter$1 or volt$3 adj meter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
37	BRS	36	measur$6 with integrated with circuit$1 with processor$1 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:10	
38	BRS	2	measur$6 with processor with (voltage$1 or current$1 or power$3) with (consumpt$3 or demand$3) with inherent with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:11	
39	BRS	9	measur$6 with processor with (voltage$1 or current$1 or power$3) with (consumpt$3 or demand$3) with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:14	
40	BRS	4	measur$6 with processor with (voltage$1 or current$1 or power$3) with (consumpt$3 or demand$3) same calculat$3 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:23	
41	BRS	12894	((voltage with controlled with oscillator$1) or vco$1) with clock$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	0	((voltage with controlled with oscillator$1) or vco$1) with clock$1 with ammeter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:28	
43	BRS	0	((voltage with controlled with oscillator$1) or vco$1) with clock$1 same ammeter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:28	
44	BRS	10	((voltage with controlled with oscillator$1) or vco$1) with clock$1 and ammeter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:28	
45	BRS	50	measur$6 with ((integrated with circuit$1) or IC$1) with processor$1 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:34	
46	BRS	7	measur$6 with ((integrated with circuit$1) or IC$1) with processor$1 with power and calculat$3 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:35	
47	BRS	499	((voltage with controlled with oscillator$1) or vco$1) and calculat$3 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	18	(calibrat$3 or adjust$3 or compensat$3) with ((voltage with controlled with oscillator$1) or vco$1) and (calibrat$3 or adjust$3 or compensat$3) with current$1 with resist$4 and calculat$3 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:37	
49	BRS	2	(calibrat$3 or adjust$3 or compensat$3) with ((voltage with controlled with oscillator$1) or vco$1) and (calibrat$3 or adjust$3 or compensat$3) with current$1 with resist$4 and calculat$3 with resist$4 and (voltmeter$1 or ammeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
50	BRS	6	(calibrat$3 or adjust$3 or compensat$3) with ((voltage with controlled with oscillator$1) or vco$1) and (calibrat$3 or adjust$3 or compensat$3) with current$1 with resist$4 and calculat$3 with resist$4 and (volt$4 with meter$1 or voltmeter$1 or ammeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:38	
51	BRS	5	measur$6 with (IC$1 or integrated with circuit$1) and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:46	
52	BRS	32	(IC$1 or integrated with circuit$1) with power$3 and ((voltage with controlled with oscillator$1) or vco$1) and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/02 15:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	3	(IC$1 or integrated with circuit$1) with power$3 and ((voltage with controlled with oscillator$1) or vco$1) and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance and (volt$4 with meter$1 or voltmeter$1 or ammeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:44	
54	BRS	3	measur$6 with integrated with circuit$1 with processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:04	
55	BRS	5	measur$6 with integrated with circuit$1 and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
56	BRS	56	((integrated with circuit$1) or IC$1) and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:06	
57	BRS	20	((integrated with circuit$1) or IC$1) and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance and (vOC or (voltage with controlled with oscillator$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:08	
58	BRS	2	((integrated with circuit$1) or IC$1) and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance and (vOC or (voltage with controlled with oscillator$1)) and (ammeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:09	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	2	processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance and (voC or (voltage with controlled with oscillator$1)) and (ammeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:09	
60	BRS	4	((integrated with circuit$1) or IC$1) and power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance and (voC or (voltage with controlled with oscillator$1)) and (ammeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:11	
61	BRS	4	((integrated with circuit$1) or IC$1) and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 with resistance and (voC or (voltage with controlled with oscillator$1)) and (ammeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:11	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	6	measur$6 with integrated with circuit$1 and processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:18	
63	BRS	4	measur$6 with integrated with circuit$1 with processor$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:28	
64	BRS	10	measur$6 with integrated with circuit$1 with power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:38	
65	BRS	5	(calibrat$3 or adjust$3 or compensat$3) with ((voltage with controled with oscillator$1) or vco$1) with (voltmeter$1 or ammeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:45	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
66	BRS	35	((voltage with controlled with oscillator$1) or vco$1) with (voltmeter$1 or ammeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 10:04	
67	BRS	88	measur$6 with (CPU or processor) with current with consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 09:53	
68	BRS	90	measur$6 with (CPU or processor$1) with current with consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 09:53	
69	BRS	112	measur$6 with (CPU or processor$1) with (voltage$1 or current$1) with consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 09:53	
70	BRS	3	measur$6 with (CPU or processor) with current with consumption and power and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 09:54	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
71	BRS	4	measur$6 with (CPU or processor$1) with (voltage$1 or current$1) with (demand$3 or consumpt$4) and power and (calibrat$3 or adjust$3 or compensat$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:55	
72	BRS	10	measur$6 with (CPU or processor) with current with (consumption or power) and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:56	
73	BRS	11	measur$6 with (CPU or processor$1) with (voltage$1 or current$1) with (consumpt$3 or power or demand$3) and (calibrat$3 or adjust$3 or compens$3) with current$1 with voltage$2 and calculat$3 with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 09:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
74	BRS	6463	331/44,46,47,48,65,66,116r,158,176,177r,177v.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 10:02	
75	BRS	18	((voltage with controlled with oscillator$1) or vco$1) and resist$4 with ladder$1 with voltage$1 with tap$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 10:05	
76	BRS	5	((voltage with controlled with oscillator$1) or vco$1) and resist$4 with ladder$1 with voltage$1 with tap$1 and (CPU$1 or controller$1 or processor$1 or microprocessor$1) with (calibrat$3 or adjust$3 or compensat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 10:06	

- 5/3/05, EAST Version: 2.0.1.4

	Type	Hits	Search Text	DBs	Time Stamp	Comments
77	BRS	5	((voltage with controlled with oscillator$1) or vco$1) and resist$4 with ladder$1 same voltage$1 with tap$1 and (CPU$1 or controller$1 or processor$1 or microprocessor$1) with (calibrat$3 or adjust$3 or compensat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 10:35	
78	BRS	5	(calibrat$3 or adjust$3 or compensat$3) with (vco$1 or (voltage$1 with controlled with oscillator$1)) with (ammeter$1 or wattmeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:07	
79	BRS	18	(calibrat$3 or adjust$3 or compensat$3) with (vco$1 or (voltage$1 with controlled with oscillator$1)) same (ammeter$1 or wattmeter$1 or voltmeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:16	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
80	BRS	2	(calibrat$3 or adjust$3 or compensat$3) with (vco$1 or (voltage$1 with controlled with oscillator$1)) same (ammeter$1 or wattmeter$1 or voltmeter$1) and (calibrat$3 or adjust$3 or compensat$3) with current$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:08	
81	BRS	1	"6321341".PN.	USPAT; USOCR	2005/05/03 13:10	
82	BRS	1	"6304978".PN.	USPAT; USOCR	2005/05/03 13:11	
83	BRS	1	"6182232".PN.	USPAT; USOCR	2005/05/03 13:11	
84	BRS	1	"5553236".PN.	USPAT; USOCR	2005/05/03 13:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
85	BRS	2	(calibrat$3 or adjust$3 or compensat$3) with (vco$1 or (voltage$1 with controlled with oscillator$1)) same (ammeter$1 or wattmeter$1 or voltmeter$1) and power with (consumpt$3 or demand$3) with voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:17	
86	BRS	2	(calibrat$3 or adjust$3 or compensat$3) with (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and power with (consumpt$3 or demand$3) with voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
87	BRS	2	(calibrat$3 or adjust$3 or compensat$3) same (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and power with (consumpt$3 or demand$3) with voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:18	
88	BRS	3	(calibrat$3 or adjust$3 or compensat$3) same (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and (consumpt$3 or demand$3) with voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
89	BRS	2	(calibrat$3 or adjust$3 or compensat$3) same (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and (consumpt$3 or demand$3) with (CPU$1 or processor$1 or microprocessor$1 or controller$1) same voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:23	
90	BRS	2	(calibrat$3 or adjust$3 or compensat$3) same (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and (consum$5 or demand$3) with (CPU$1 or processor$1 or microprocessor$1 or controller$1) same voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
91	BRS	2	(vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and (consum$5 or demand$3) with (CPU$1 or processor$1 or microprocessor$1 or controller$1) same voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:23	
92	BRS	8	(calibrat$3 or adjust$3 or compensat$3) same (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) and (consum$5 or demand$3) with (CPU$1 or processor$1 or microprocessor$1 or controller$1) and voltage$1 with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
93	BRS	15	(vco$1 or (voltage$1 with controlled with oscillator$1)) with (ammeter$1 or wattmeter$1 or voltmeter$1) and (consum$5 or demand$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:31	
94	BRS	9	(vco$1 or (voltage$1 with controlled with oscillator$1)) with (ammeter$1 or wattmeter$1 or voltmeter$1) and (consum$5 or demand$3) and current with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:32	
95	BRS	10	(vco$1 or (voltage$1 with controlled with oscillator$1)) with (ammeter$1 or wattmeter$1 or voltmeter$1) and (consum$5 or demand$3) and current with resist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:32	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
96	BRS	4	(vco$1 or (voltage$1 with controlled with oscillator$1)) and (calibrat$3 or adjust$3 or compensat$4) with (ammeter$1 or wattmeter$1 or voltmeter$1) and (CPU$1 or processor$1 or microprocessor$1 or controller$1) with (consum$5 or demand$3) with current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:57	
97	BRS	2	(vco$1 or (voltage$1 with controlled with oscillator$1)) and (calibrat$3 or adjust$3 or compensat$4) with (ammeter$1 or wattmeter$1 or voltmeter$1) with resist$4 and (CPU$1 or processor$1 or microprocessor$1 or controller$1) with (consum$5 or demand$3) with current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:58	

Type	Hits	Search Text	DBs	Time Stamp	Comments
		(calibrat$3 or adjust$3 or compensat$4) with (vco$1 or (voltage$1 with controlled with oscillator$1)) and (ammeter$1 or wattmeter$1 or voltmeter$1) with resist$4 and (CPU$1 or processor$1 or microprocessor$1 or controller$1) with (consum$5 or demand$3) with current$1			
98	BRS 4		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 13:58	

5/3/05, EAST Version: 2.0.1.4